

Fall 1984

Fungal flora of Southeastern Wisconsin

Kristine Ciombor

University of Wisconsin - Milwaukee

Martyn J. Dibben

University of Wisconsin-Milwaukee

Follow this and additional works at: https://dc.uwm.edu/fieldstation_bulletins



Part of the [Forest Biology Commons](#), and the [Zoology Commons](#)

Recommended Citation

Ciombor, K. and M. J. Dibben. 1984. Fungal flora of Southeastern Wisconsin. *Field Station Bulletin* 17(2): 31-32.

This Article is brought to you for free and open access by UWM Digital Commons. It has been accepted for inclusion in *Field Station Bulletins* by an authorized administrator of UWM Digital Commons. For more information, please contact open-access@uwm.edu.

FUNGAL FLORA OF SOUTHEASTERN WISCONSIN

KRISTINE CIOMBOR

*Department of Biological Sciences, University of Wisconsin-Milwaukee
Milwaukee, Wisconsin 53201*

MARTYN J. DIBBEN

*Section for Botany, Milwaukee Public Museum
Milwaukee, Wisconsin 53233*

Since its reorganization in 1981, one goal of the Wisconsin Mycological Society has been a comprehensive long-term survey of fleshy and other fungi of southeastern Wisconsin. Over a period of years, random collections are to be made at a series of selected foray sites to document spring through fall floras. The UWM Field Station is one of these foray sites. Habitat and locality are to be recorded for each specimen along with field characteristics. Each identified collection will be dried and filed in the herbarium of the Milwaukee Public Museum.

To date 35 specimens representing 29 species are on file. These were gleaned from two brief trips into the mesic beech-maple forest and one into Cedarburg Bog. The ephemeral nature of most fungal macrocarps and the fluctuations in yearly precipitation (hence patterns of fruiting) will necessitate numerous future visits before a comprehensive survey of the station mycoflora can be completed.

FUNGI OF THE UWM FIELD STATION [1984]

- Calycella citrina ([Hedwig.]Fr.) Boud.
- Ceratiomyxa fruticulosa (Mull.) Macbr.
- Cerrena unicolor (Bull. ex Fr.) Murr.
- Climacodon septentrionale (fr.) Karst.
- Coriolus versicolor (L. ex Fr.) Quel.
- Daedalia confragosa Bolt. ex Fr.
= Daedaleopsis confragosa (Bolt. ex Fr.) Schroet.
- Fomes fomentarius (L. ex Fr.) Fr.
- Ganoderma applanatum (Pers. ex Wallroth) Pat.
- Hericium coralloides (Scop. ex Fr.) S. F. Gray
- Hypomyces luteovirens (Fr.) Tul.
- Irpex lacteus (Fr. ex Fr.) Fr.
- Mycena haematopus (Pers. ex Fr.) Kummer
- Mycena leaiana (Berk.) Sacc.
- Mycena murina Murrill
- Oudemansiella radicata (Rehman ex Fr.) Sing.
- Pholiota squarrosoides (Pk.) Sacc.
- Phyllotopsis nidulans (Pers. ex Fr.) Sing.

FUNGI OF THE UWM FIELD STATION [1984] CONTD.

- Piptoporus betulinus (Bull. ex Fr.) Karst.
Pleurocybella porrigens (Pers. ex Fr.) Sing.
Polyporus arcularius Batsch ex Fr.
Polyporus picipes Fr.
Scutellinia scutellata (L. ex St. Amans) Lambotte
Spongipellis sp.
Stemonitis fusca Roth.
Stereum ostrea (Blume & Nees ex Fr.) Fr.
Ustulina deusta (Fr.) Petrak
Xylaria polymorpha (Pers. ex Merat) Grev.
Xylobus frustulans (Pers. ex Fr.) Boidin